EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	27873433	(@rlad<"20031104" or @ad<"20031104")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/17 12:48
L2	133	L1 and (address near3 (prefix and suffix))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/17 12:49
L3	12	l2 and ((709/242.ccls.) or (709/223.ccls.) or (709/227.ccls.))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/17 12:49
L4	11205	l1 and ((709/242.ccls.) or (709/223.ccls.) or (709/227.ccls.))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/17 12:49
L5	6	l4 and ((router near3 (command$4 or operand$4 or set$9)) near9 prefix$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/17 12:52
L6	8	l4 and ((router near6 (command$4 or operand$4 or set$9)) near9 prefix$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/17 12:52
L7	38	l4 and (prefix near5 ident$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/17 12:53
L8	12	l7 and (expirat$9 or timeout or "time-out" or "time out")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/17 12:53
L9	0	l7 and ((expirat$9 or timeout or "time-out" or "time out") near3 event$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/17 12:54

L10	0	I7 and ((expirat$9 or timeout or "time-out" or "time out") near8 event$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/17 12:54
L11	4	I8 and (router near3 interface $4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/17 12:55
L12	1833583	I1 and ((router$4 or client$4 or system$4 or server$4) near7 (execute$4 or operat $4 or proce$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/17 12:57
L13	10332	I12 and ((709/242.ccls.) or (709/223.ccls.) or (709/227. ccls.))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/17 12:58
L14	1274	I13 and ((router$4) near7 (execute$4 or operat$4 or proce$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/17 12:58
L15	27	I14 and (((address$4 near3 prefix$4) or (address$4)) near6 ("non-numeric" or alphabet$2 or nonnumeric or numeric$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/17 13:01
L16	0	I15 and ((router near3 (command$4 or operand$4 or set$6)) near3 config$7)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/17 13:03
L17	0	I15 and ((address$4 near3 prefix$4) near5 ("non-numeric" or numeric)).clm.	US-PGPUB	OR	ON	2009/12/17 13:05
L18	0	I15 and ((address$4 near3 prefix$4) near5 (router$4 near3 (operand$4 or command$4))).clm.	US-PGPUB	OR	ON	2009/12/17 13:05
S1	25274082	(@rlad<"20031104" or @ad<"20031104")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/05 21:16
S2	0	S1 and ("router command" near3 "address prefix")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/05 21:18

S3	0	S1 and ("router command" near5 "address prefix")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/05 21:20
S4	502	S1 and ((router adj (config $7 or manage$4)) and (address adj3 identif$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/05 21:25
S5	77	S4 and dhcp	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/06 10:01
S6	25274082	(@rlad<"20031104" or @ad<"20031104")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/06 10:02
S7	0	S6 and (pars$4 adj2 (router adj (command$ or oper$7)))	DERWENT	OR	ON	2007/07/06 10:03
S8	0	S6 and (pars$4 near2 (router near2 (command$ or oper$7)))	DERWENT	OR	ON	2007/07/06 10:03
S9	2	S6 and ((pars$4 or exec$6) near2 (router near2 (command$ or oper$7)))	DERWENT	OR	ON	2007/07/06 10:07
S10	0	S6 and ((router adj2 (command or code)) adj2 exec$6)	DERWENT	OR	ON	2007/07/06 10:05
S11	1	S6 and (router adj command $2)	DERWENT	OR	ON	2007/07/06 10:06
S12	2	S6 and ((pars$4 or exec$6) near2 (router near2 (command$ or oper$7)))	DERWENT	OR	ON	2007/07/06 10:08
S13	87	S6 and ((pars$4 or exec$6) near2 (router near2 (command$ or oper$7)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/06 10:10
S14	10	(US-20060117367-$ or US-20050075914-$ or US-20040193906-$ or US-20040078286-$ or US-20030225782-$ or US-20020166063-$).did. or (US-7233975-$ or US-7036048-$ or US-6959332-$ or US-6724724-$).did.	US-PGPUB; USPAT	OR	ON	2007/07/06 11:07
S15	5	S14 and (router adj command$2)	US-PGPUB; USPAT	OR	ON	2007/07/06 11:08
S16	13	S6 and ((router adj config $6) near3 manag$5)	US-PGPUB; USPAT	OR	ON	2007/07/06 11:12

S17	160	S6 and ((router near3 opera $5) near3 manag$5)	US-PGPUB; USPAT	OR	ON	2007/07/06 14:12
S18	137	S17 and config$7	US-PGPUB; USPAT	OR	ON	2007/07/06 14:13
S19	10	S18 and ios	US-PGPUB; USPAT	OR	ON	2007/07/06 14:16
S20	143	S6 and (router near3 (ios or cli))	US-PGPUB; USPAT	OR	ON	2007/07/06 15:21
S21	427	S6 and (router near3 (operat $4 adj system))	US-PGPUB; USPAT	OR	ON	2007/07/06 15:25
S22	447	S6 and (router near3 (operat $4 adj system))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2007/07/06 15:29
S23	447	S6 and (router near3 (operat $4 adj system))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/07/06 15:38
S24	0	S6 and (((router adj command$2) near4 (address adj prefix)) near4 ((address or prefix) adj value))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/07/06 15:36
S25	0	S6 and ((router adj command$2) near4 (address adj prefix))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/07/06 15:36
S26	386	S23 and config$7	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/07/06 15:38
S27	326	S26 and manag$6	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/07/06 15:39
S28	7	S6 and ((router adj2 config $6) adj3 file)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/07/06 16:01
S29	1	S6 and (rfc adj "2894")	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/07/07 19:45
S30	25274082	(@rlad<"20031104" or @ad<"20031104")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/07 19:46
S31	46	S30 and (prefix adj server)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/07/07 20:08

S32	40119	S31 and address prefix	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/07/07 20:08
S33	5	S31 and (address adj prefix)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/07/07 20:11
S34	5	S31 and (prefix adj value)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/07/07 20:12
S35	445	S30 and (prefix adj value)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/07/07 20:22
S36	5	S35 and (address adj allocat $4)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/07/07 20:24
S37	39	S35 and (prefix near4 router)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/07/07 20:29
S38	0	S35 and (router adj (operand or command))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/07/07 20:29
S39	11	S35 and (router adj (opera $5))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/07/07 20:31
S40	0	S35 and (router adj command)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/07/07 20:31
S41	4	S35 and (router near3 command)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/07/07 20:33
S42	95	S35 and (operand)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/07/07 20:33
S43	12	S42 and router	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/07/07 20:35
S44	14	S35 and ios	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/07/07 20:37

S45	1	S44 and router	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/07/07 20:37
S46	16	S35 and (router adj3 config $7)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/07/07 20:38
S47	27728122	(@rlad<"20031104" or @ad<"20031104")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/10 20:14
S48	0	S47 and ((address adj prefix) near4 non-numeric)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/10 20:14
S49	34	S47 and ((address adj prefix) near4 domain)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/10 20:17
S50	10	S47 and ((address adj prefix) near4 name)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/10 20:20
S51	0	S47 and (((logical adj2 name $2) near3 (correspond$4 adj3 address$3)) near5 prefix)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/10 20:27
S52	0	S47 and (((logic$3 adj4 name$2) near6 (correspond$4 adj4 address$3)) near6 prefix)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/10 20:28
S53	0	S47 and (((logic$3 adj4 name$2) and (correspond$4 adj4 address$3)) near6 prefix)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/10 20:28
S54	13	S47 and ((logic$3 adj4 name $2) near6 prefix)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/10 20:29
S55	1	(US-5701462-$).did.	USPAT	OR	ON	2008/04/10 20:33
S56	0	S55 and config	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/10 20:33

S57	0	S55 and router	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/10 20:33
S58	0	S47 and ((prefix near3 (logic $2 adj4 name)) and (router near4 (config$7 or setting $4)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/10 20:36
S59	139	S47 and ((logic$2 adj4 name) and (router near4 (config$7 or setting$4)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/10 20:36
S60	14	S47 and ((logic$2 adj4 name) and (router near2 (operand or command)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/10 20:55
S61	0	S47 and ((logic$2 adj4 name) and (router near2 (operand$2)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/10 20:58
S62	45	S47 and ((address adj prefix) near2 (value or flag))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/10 21:03
S63	27728122	(@rlad<"20031104" or @ad<"20031104")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/11 12:01
S64	0	S63 and (router near4 (("name service" or nameserver) near3 (file or config$7)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/11 12:01
S65	2	S63 and (router and (declaration adj command))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/11 12:02
S66	953	S63 and (router and ((configuration or config or setting) adj command$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/11 12:04
S67	19	S66 and (address adj prefix)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/11 12:04

S68	601846	S67 and dhcp server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/11 16:41
S69	0	S67 and (dhcp adj server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/11 16:41
S70	0	S67 and (dhcp)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/11 16:42
S71	0	S66 and (dhcp near3 expire $2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/11 16:47
S72	66	S63 and (dhcp near3 expire $2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/11 16:47
S73	45	S72 and table	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/11 16:52
S74	2	"7328266".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/11 16:53
S75	1	S74 and (dhcp near3 expire $2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/11 16:54
S76	1	S75 and table	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/11 16:56
S77	121	S63 and (address near3 (prefix and suffix))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/11 17:08
S78	18	S77 and dhcp	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/11 17:09

S79	2	"20040078485".did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/22 20:05
S80	2	"20030126252".did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/22 21:42
S81	27873433	(@rlad<"20031104" or @ad<"20031104")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/17 12:36
S82	1101	S81 and (router and ((configuration or config or setting) adj command$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/17 12:36
S83	21	S82 and (address adj prefix)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/17 12:36
S84	133	S81 and (address near3 (prefix and suffix))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/17 12:38
S85	1101	S81 and (router and ((configuration or config or setting) adj command$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/17 12:38
S86	34	(US-20030182445-$ or US-20060005014-$ or US-20040032837-$ or US-20030225782-$ or US-20050075914-$ or US-20020065941-$ or US-20040158621-$ or US-20040193906-$ or US-20040078286-$ or US-20060117367-$ or US-20040133675-$ or US-20040223491-$ or US-20020172207-$ or US-20040196854-$ or US-20020166063-$ or US-20060059253-$ or US-20040172412-$ or US-20040203799-$ or US-20030018889-$ or US-20040179527-$ or US-20040105420-$ or US-	US-PGPUB; USPAT	OR	ON	2009/12/17 12:39

		20040111529-$ or US-20020021675-$ or US-20050021752-$ or US-20040088544-$).did. or (US-7072946-$ or US-7162537-$ or US-6724724-$ or US-7036048-$ or US-7233975-$ or US-6959332-$ or US-5701462-$ or US-5842214-$ or US-7349382-$).did.				
S87	3	S86 and ((709/242.ccls.) or (709/223.ccls.) or (709/227.ccls.))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/17 12:42
S88	12	S84 and ((709/242.ccls.) or (709/223.ccls.) or (709/227.ccls.))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/17 12:42
S89	0	S88 and (router and ((configuration or config or setting) adj command$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/17 12:43

12/17/2009 1:10:01 PM
C:\ Documents and Settings\ asikri\ My Documents\ EAST\ Workspaces\ 10699889\ search 1.wsp